

TABLE G.3a 10% Critical Values of the *F* Distribution

		Numerator Degrees of Freedom									
		1	2	3	4	5	6	7	8	9	10
D e n o m i n a t o r	10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32
	11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25
	12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19
	13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14
	14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10
	15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06
	16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03
	17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00
	18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98
	19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96
D e g r e e s	20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94
	21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92
	22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90
	23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89
	24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88
	25	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87
	26	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86
F r e e d o m	27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85
	28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84
	29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83
	30	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82
	40	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76
	60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71
	90	2.76	2.36	2.15	2.01	1.91	1.84	1.78	1.74	1.70	1.67
	120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65
	∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60

© Cengage Learning, 2013

Example: The 10% critical value for numerator $df = 2$ and denominator $df = 40$ is 2.44.

Source: This table was generated using the Stata[®] function `invFtail`.

		Numerator Degrees of Freedom									
		1	2	3	4	5	6	7	8	9	10
D	10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98
	11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85
	12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75
	13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67
	14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60
	15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54
	16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49
	17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45
	18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41
	19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38
D	20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35
	21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32
	22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30
	23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27
	24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25
	25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24
	26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22
	27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20
	28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19
	29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18
e	30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16
	40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08
	60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99
	90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94
	120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91
	∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83

Example: The 5% critical value for numerator $df = 4$ and large denominator $df(\infty)$ is 2.37.

Source: This table was generated using the Stata® function invFtail.

TABLE G.3c 1% Critical Values of the *F* Distribution

		Numerator Degrees of Freedom									
		1	2	3	4	5	6	7	8	9	10
D	10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85
	11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54
	12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30
	13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10
	14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94
	15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80
	16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69
	17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59
	18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51
	19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43
D	20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37
	21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31
	22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26
	23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21
	24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17
	25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13
	26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09
	27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06
	28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03
	29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00
F	30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98
	40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80
	60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63
	90	6.93	4.85	4.01	3.54	3.23	3.01	2.84	2.72	2.61	2.52
	120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47
	∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32

© Cengage Learning, 2013

Example: The 1% critical value for numerator $df = 3$ and denominator $df = 60$ is 4.13.

Source: This table was generated using the Stata[®] function `invFtail`.